

**CLAIMS**

1. (AMENDED) A seat assembly for expanding the width of a frame mounted motorcycle passenger seat comprising:
  - a. a ~~motorcycle~~side seat cushion;
  - b. a side seat cushion support frame ~~including~~having a side seat support means for supporting ~~the side~~ seat cushion and mounting means for mounting the cushion support frame to the frame of ~~the~~ motorcycle adjacent the passenger seat, such that the side seat ~~cushions extend~~cushion extends laterally from the motorcycle passenger seat.
2. (Amended) A supplemental seat for a motorcycle equipped with a passenger seat and ~~accessory supports for motorcycle accessories~~, including:
  - a. ~~at least one~~side seat cushion;
  - b. ~~a one seat cushion support frame for each side seat cushion, each~~ seat cushion support frame including a side seat support means for supporting ~~the side~~ seat cushion; and mounting means for mounting the ~~motorcycle accessory supports~~seat cushion support frame to the motorcycle accessory supports such that the side seat support means ~~frame~~ is mounted substantially adjacent to the passenger seat and extends laterally therefrom; and
  - c. fastening means for securing the seat cushion to the support means.
3. (Amended) A seat assembly for ~~expanding the width of a motorcycle passenger seat~~ on use with a motorcycle having accessory a passenger seat and supports for accessories, comprising:
  - a. a pair of seat cushions;

- b. ~~a pair of seat cushion support frames, each frame for each seat cushion, each seat cushion support frame including a seat cushion support means for supporting a motorcycle corresponding seat cushion and mounting means for mounting the each cushion support frame to the one or more motorcycle accessory supports, wherein the support frames are mounted with the seat cushion support means such that the seat cushions are positioned adjacent opposite sides of the passenger seat such that the seat cushions, when fastened to the support means, and extend laterally from the passenger seat in opposite directions; and fastening means for securing the seat cushions to the support means.~~
4. (Amended) The seat assembly of claim 3 wherein each seat cushion support frame comprises a tube support having a first and second end, including a generally U-shaped portion defining substantially parallel first and second legs, a support plate secured between the first and second legs of the U-shaped portion of the tubular support to define a platform for supporting a motorcycle seat cushion, the first end of the tubular support designed to engage a first motorcycle accessory support and the second end of the tubular support designed to engage a second motorcycle accessory support such that a tubular support is mounted substantially adjacent to each side a motorcycle passenger seat with the platform portion of the tubular support extending laterally from the motorcycle passenger seat.
5. (Amended) The seat assembly of claim 3 wherein the mounting means consists of flanges having slots of predetermined configuration for engagement with the motorcycle accessory supports,

6. (Amended) The seat assembly of claim 3 wherein the seat cushion support frames are a pair of support plates, each having a generally L-shaped configuration defining a vertical leg and horizontal leg, with mounting flanges depending from the horizontal leg for mounting the support plate to the accessory supports of the motorcycle ~~such that one support plate is located on each side of the passenger seat, and further including support means for securing the seat cushions to the support frames to extend laterally from each side of the motorcycle passenger seat.~~
7. (Withdrawn) A seat assembly for expanding the width of a motorcycle passenger seat for use in combination with a motorcycle tour pack that includes mounting means for mounting the tour pack to the accessory supports of athe motorcycle for placement immediately behind the motorcycle passenger seat and seat assembly support means for supporting the seat assembly on each side of the motorcycle passenger seat, comprising:
- a. a pair of seat cushions;
  - b. a pair of support frames, each including seat cushion support means for supporting a motorcycle seat cushion and mounting means for mounting the support frame to the seat assembly support means of the tour pack so that the seat cushion support means of the support frames are positioned adjacent opposite sides of the passenger seat to support the cushions on each side of the passenger seat when the tour pack is mounted on a motorcycle; and
  - c. fastening means for securing the seat cushions to the seat cushion support means.
8. (Added) A combination tour pack frame and seat assembly for use with a motorcycle having a passenger seat and supports for accessories, comprising:

- a. a seat assembly including a pair of seat cushions, a seat cushion support frame for each seat cushion, each seat cushion support frame including a seat cushion support for supporting a corresponding seat cushion and mounting means for mounting each cushion support frame either to the motorcycle accessory supports or to the tour pack such that the seat cushions are positioned adjacent opposite sides of the passenger seat and extend laterally from the passenger seat in opposite directions;
- b. a motorcycle tour pack frame including mounting means for mounting the tour pack to the accessory supports of the motorcycle for placement immediately behind the motorcycle passenger seat and seat assembly mounting means for supporting the seat assembly such that the seat cushions are positioned adjacent opposite sides of the passenger seat and extend laterally from the passenger seat in opposite directions.

**CLAIM AMENDMENTS - FINAL FORM**

Please amend the following claims as follows:

**CLAIMS**

1. (AMENDED) A seat assembly for expanding a frame mounted motorcycle passenger seat comprising:
  - a. a side seat cushion;
  - b. a side seat cushion support frame having a side seat support for supporting the side seat cushion and mounting means for mounting the cushion support frame to the frame of the motorcycle adjacent the passenger seat, such that the side seat cushion extends laterally from the motorcycle passenger seat.
2. (Amended) A supplemental seat for a motorcycle equipped with a passenger seat and supports for motorcycle accessories, including:
  - a. at least one side seat cushion;
  - b. one seat cushion support frame for each side seat cushion, each seat cushion support frame including a side seat support for supporting the side seat cushion and mounting means for mounting the seat cushion support frame to the motorcycle accessory supports such that the side seat support frame is mounted substantially adjacent to the passenger seat and extends laterally therefrom; and
  - c. fastening means for securing the seat cushion to the support means.
3. (Amended) A seat assembly for use with a motorcycle having a passenger seat and supports for accessories, comprising:
  - a. a pair of seat cushions;

- b. a seat cushion support frame for each seat cushion, each seat cushion support frame including a seat cushion support for supporting a corresponding seat cushion and mounting means for mounting each cushion support frame to one or more motorcycle accessory supports such that the seat cushions are positioned adjacent opposite sides of the passenger seat and extend laterally from the passenger seat in opposite directions.
4. (Amended) The seat assembly of claim 3 wherein each seat cushion support frame comprises a tube support having a first and second end, including a generally U-shaped portion defining substantially parallel first and second legs, a support plate secured between the first and second legs of the U-shaped portion of the tubular support to define a platform for supporting a motorcycle seat cushion, the first end of the tubular support designed to engage a first motorcycle accessory support and the second end of the tubular support designed to engage a second motorcycle accessory support such that a tubular support is mounted substantially adjacent to each side a motorcycle passenger seat with the platform portion of the tubular support extending laterally from the motorcycle passenger seat.
5. (Amended) The seat assembly of claim 3 wherein the mounting means consists of flanges having slots of predetermined configuration for engagement with the motorcycle accessory supports.
6. (Amended) The seat assembly of claim 3 wherein the seat cushion support frames are a pair of support plates, each having a generally L-shaped configuration defining a vertical leg and horizontal leg, with mounting flanges depending from the horizontal leg

for mounting the support plate to the accessory supports of the motorcycle such that one support plate is located on each side of the passenger seat.

7. (Withdrawn) A seat assembly for expanding the width of a motorcycle passenger seat for use in combination with a motorcycle tour pack that includes mounting means for mounting the tour pack to the accessory supports of the motorcycle for placement immediately behind the motorcycle passenger seat and seat assembly support means for supporting the seat assembly on each side of the motorcycle passenger seat, comprising:
  - a. a pair of seat cushions;
  - b. a pair of support frames, each including seat cushion support means for supporting a motorcycle seat cushion and mounting means for mounting the support frame to the seat assembly support means of the tour pack so that the seat cushion support means of the support frames are positioned adjacent opposite sides of the passenger seat to support the cushions on each side of the passenger seat when the tour pack is mounted on a motorcycle; and
  - c. fastening means for securing the seat cushions to the seat cushion support means.
8. (Added) A combination tour pack frame and seat assembly for use with a motorcycle having a passenger seat and supports for accessories, comprising:
  - a. a seat assembly including a pair of seat cushions, a seat cushion support frame for each seat cushion, each seat cushion support frame including a seat cushion support for supporting a corresponding seat cushion and mounting means for mounting each cushion support frame either to the motorcycle accessory supports or to the tour pack such that the seat cushions are positioned adjacent opposite

sides of the passenger seat and extend laterally from the passenger seat in opposite directions;

- c. a motorcycle tour pack frame including mounting means for mounting the tour pack to the accessory supports of the motorcycle for placement immediately behind the motorcycle passenger seat and seat assembly mounting means for supporting the seat assembly such that the seat cushions are positioned adjacent opposite sides of the passenger seat and extend laterally from the passenger seat in opposite directions.



## CLAIM AMENDMENTS – BLACKLINED TO SHOW CHANGES

CLAIMS

1. (AMENDED) A seat assembly for expanding the width of a frame mounted motorcycle passenger seat comprising:
  - a. a ~~motorcycle~~side seat cushion;
  - b. a side seat cushion support frame ~~including~~having a side seat support means for supporting ~~the side~~ seat cushion and mounting means for mounting the cushion support frame to the frame of ~~the~~ motorcycle adjacent the passenger seat, such that the side seat ~~cushions extend~~cushion extends laterally from the motorcycle passenger seat.
2. (Amended) A supplemental seat for a motorcycle equipped with a passenger seat and ~~accessory supports for motorcycle accessories~~, including:
  - a. ~~at least one~~side seat cushion;
  - b. ~~a one seat cushion support frame for each side seat cushion~~, each seat cushion support frame including a side seat support means for supporting ~~the side~~ seat cushion; and mounting means for mounting the ~~motorcycle accessory supports~~seat cushion support frame to the motorcycle accessory supports such that the side seat support meansframe is mounted substantially adjacent to the passenger seat and extends laterally therefrom; and
  - c. fastening means for securing the seat cushion to the support means.
3. (Amended) A seat assembly for expanding the width of a ~~motorcycle passenger seat~~ on use with a motorcycle having ~~accessory~~a passenger seat and supports for accessories, comprising:

- a. a pair of seat cushions;
  - b. ~~a pair of~~ seat cushion support frames, each frame for each seat cushion, each seat cushion support frame including a seat cushion support means for supporting a ~~motorcycle~~ corresponding seat cushion and mounting means for mounting ~~the~~ each cushion support frame to ~~the~~ one or more motorcycle accessory supports, wherein ~~the support frames are mounted with the seat cushion support means~~ such that the seat cushions are positioned adjacent opposite sides of the passenger seat such that the seat cushions, when fastened to the support means, and extend laterally from the passenger seat in opposite directions; and fastening means for securing the seat cushions to the support means.
4. (Amended) The seat assembly of claim 3 wherein each seat cushion support frame comprises a tube support having a first and second end, including a generally U-shaped portion defining substantially parallel first and second legs, a support plate secured between the first and second legs of the U-shaped portion of the tubular support to define a platform for supporting a motorcycle seat cushion, the first end of the tubular support designed to engage a first motorcycle accessory support and the second end of the tubular support designed to engage a second motorcycle accessory support such that a tubular support is mounted substantially adjacent to each side a motorcycle passenger seat with the platform portion of the tubular support extending laterally from the motorcycle passenger seat.
5. (Amended) The seat assembly of claim 3 wherein the mounting means consists of flanges having slots of predetermined configuration for engagement with the motorcycle accessory supports.

6. (Amended) The seat assembly of claim 3 wherein the seat cushion support frames are a pair of support plates, each having a generally L-shaped configuration defining a vertical leg and horizontal leg, with mounting flanges depending from the horizontal leg for mounting the support plate to the accessory supports of the motorcycle ~~so such that one support plate is located on each side of the passenger seat, and further including support means for securing the seat cushions to the support frames to extend laterally from each side of the motorcycle passenger seat.~~
7. (Withdrawn) A seat assembly for expanding the width of a motorcycle passenger seat for use in combination with a motorcycle tour pack that includes mounting means for mounting the tour pack to the accessory supports of a the motorcycle for placement immediately behind the motorcycle passenger seat and seat assembly support means for supporting the seat assembly on each side of the motorcycle passenger seat, comprising:
- a pair of seat cushions;
  - a pair of support frames, each including seat cushion support means for supporting a motorcycle seat cushion and mounting means for mounting the support frame to the seat assembly support means of the tour pack so that the seat cushion support means of the support frames are positioned adjacent opposite sides of the passenger seat to support the cushions on each side of the passenger seat when the tour pack is mounted on a motorcycle; and
  - fastening means for securing the seat cushions to the seat cushion support means.
8. (Added) A combination tour pack frame and seat assembly for use with a motorcycle having a passenger seat and supports for accessories, comprising:

- a. a seat assembly including a pair of seat cushions, a seat cushion support frame for each seat cushion, each seat cushion support frame including a seat cushion support for supporting a corresponding seat cushion and mounting means for mounting each cushion support frame either to the motorcycle accessory supports or to the tour pack such that the seat cushions are positioned adjacent opposite sides of the passenger seat and extend laterally from the passenger seat in opposite directions;
- b. a motorcycle tour pack frame including mounting means for mounting the tour pack to the accessory supports of the motorcycle for placement immediately behind the motorcycle passenger seat and seat assembly mounting means for supporting the seat assembly such that the seat cushions are positioned adjacent opposite sides of the passenger seat and extend laterally from the passenger seat in opposite directions;